CANADAKRATOM EXPRESS

CERTIFICATE OF ANALYSIS

Super Red Bali

BATCH ID: 021125-CK-09

DATE: 02/24/2025

MIT % 1.69%

Prepared by
Canada Kratom Express
www.canadakratomexpress.com

11455 Pearl St Northglenn, CO 80233 (303) 296-0264

MURRAY-BROWN LABORATORIES, INC.
Beyond the Raw Data

Certificate of Analysis for

Canada Kratom Express

Received: 2/13/2025 @ 20.6 °C
Report ID: 2502589

Sample ID: 2502589-009 LOT 021125-CK-09

MIT.2: Kratom Alkaloids via HPLC-DAD Analyzed 02/18/25

7-Hydroxymitragynine	< 0.0100	%	Isorhynchophylline	< 0.100	%
Mitragynine	1.69	%	Mitraphylline	< 0.100	%
Paynantheine	0.277	%	Speciociliatine	0.318	%
Speciogynine	0.206	%	Total Alkaloids	2.50	%

Reported By: Trent M Millin, Microbiology Laboratory Manager, 2/21/2025

This document is confidential and is meant solely for the individual or entity designated above. MBL Terms and Conditions apply.
This Certificate of Analysis should only be reproduced in full. Results contained herein are representative of and only apply to the sample portion submitted to or collected by MBL.

Original

11455 Pearl St Northglenn, CO 80233 (303) 296-0264

MURRAY-BROWN LABORATORIES, INC.
Beyond the Raw Data

Certificate of Analysis for

Canada Kratom Express

Received: 1/21/2025 @ 21.3 °C
Report ID: 2501839

Sample ID: 2501839-002

ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 01/21/25

Aerobic Plate Count	100	CFU/g

CCR.1a: CC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 01/21/25

Total Coliform Bacteria	< 100	CFU/g

ECR.1a: EC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 01/21/25

Escherichia coli	< 100	CFU/g

ICPMS.1: Metals via FDA - EAM:2008 (ICP/MS) Analyzed 01/29/25

Arsenic (As)	0.0595	mg/kg (ppm)	Cadmium (Cd)	0.0158	mg/kg (ppm)
Lead (Pb)	0.403	mg/kg (ppm)	Mercury (Hg)	0.0151	mg/kg (ppm)

Salm.1: Salmonella via AOAC 081201, 2013.02 (BAX® PCR) Analyzed 01/22/25

Salmonella spp.	Negative	/25 g

STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 01/21/25

Staphylococcus aureus	< 100	CFU/g

STEC.1: E. coli (O157:H7, O26, O45, O103, O111, O121, O145) via AOAC 091301 (BAX® PCR, STEC Screen) Analyzed 01/22/25

Shiga toxin-producing E. coli (stx-eae)	Negative	/25 g

YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 01/21/25

Yeast and Mold	< 100	CFU/g

Reported By: Jake S Hedges, Chemistry Laboratory Supervisor, 1/30/2025

This document is confidential and is meant solely for the individual or entity designated above. MBL Terms and Conditions apply.
This Certificate of Analysis should only be reproduced in full. Results contained herein are representative of and only apply to the sample portion submitted to or collected by MBL.

Original